

## Sahara / Atlas / Nomad

Round shaped tents with a diameter of 4 m, entrance with a zip fastener, ventilation in the tip and under the eave edge. The sides can be rolled out. All tents can be ordered with a sewn-on floor.



Construction

metal galvanized tubes anti-corrosion treatment

Material

Sahara: 100% cotton – 300 g/m<sup>2</sup> Atlas: 100% cotton – 400 g/m<sup>2</sup> Nomad: Tenkate material

Weight

Sahara: 20 kg Atlas: 24 kg Nomad: 15 kg

Included

steel centre pole entrance construction pegs, guy ropes storage bag (coated foil)


Extra costs


groundsheet (PVC) roof from Tenkate material

Dimensions

center height: 2,5 m entrance height: 1,5 m floor diameter: 4 m side wall height: 0,6 m









**Dimensions** 

## Sahara, Nomad XXL / Zaire

Round shaped tents with a diameter of 4.5 m, entrance with a zip fastener (Sahara XXL) or combo lock (Zaire a Nomad XXL). Ventilation in the tip and under the eave edge The sides can be rolled out. All tents can be ordered with a sewn-on floor.





metal galvanized tubes Construction anti-corrosion treatment Sahara XXL: 100% cotton - 300 g/m<sup>2</sup> Material Nomad XXL: Tenkate material Zaire: 100% cotton - 400 g/m<sup>2</sup> Sahara XXL: 24 kg Weight Nomad XXL: 17 kg Zaire: 26 kg wooden centre pole entrance construction Included pegs, guy ropes storage bag (coated foil) groundsheet (PVC) Extra costs roof from Tenkate

> center height: 3 m entrance height: 1,7 m

floor diameter: 4,5 m side wall height: 0,6 m









**Dimensions** 

## Klondike / Grizzly / Eldorado

Round shaped tents with a diameter of 5 m, entrance with loops/eyelet lock. Ventilation in the tip and under the eave edge The sides can be rolled out. All tents can be ordered with a sewn-on floor..



metal galvanized tubes Construction anti-corrosion treatment Klondike: 100% cotton - 300 g/m<sup>2</sup> Material Grizzly: 100% cotton - 400 g/m<sup>2</sup> Eldorado: Tenkate material Klondike: 20 kg Weight Grizzly: 24 kg Eldorado: 15 kg steel centre pole entrance construction Included pegs, guy ropes storage bag (coated foil) **Extra costs** groundsheet (PVC) center height: 3 m

entrance height: 1,7 m

floor diameter: 5 m side wall height: 0,6 m



